



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013

WOOD-BURNING FIREPLACES & ACCESSORIES

TABLE OF CONTENTS

	Page #
BIS® - EPA FIREPLACES	
BIS® Nova Fireplace	2
BIS® Tradition CE Fireplace	3
BIS® Tradition Fireplace	4
BIS® Panorama Fireplace	5
BIS® Ultra Fireplace	6
BIS® Ultima-1 Fireplace	8
BIS® UltimaCF	9



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013







MODEL	WT.	CU/FT
BIS® Nova	255#	27.17



EPA PHASE II WOOD-BURNING FIREPLACE FRONT OPEN, CIRCULATING

Unit includes: Steel door (black), ceramic glass, air wash system for the door, decorative steel log retainers, large textured refractories, pre-wired (150 cfm) factory installed fan, double air combustion control (all in one). EPA Certified

APPROVED FOR USE WITH 6" CHIMNEY - MODELS ASHT+ / HT6103+, S-2100+ / HT6000+ OR AC MANUFACTURED BY SECURITY CHIMNEYS INTERNATIONAL

	Catalog #	Model	Description	List Price
	BISNOVABK	BISNOVABK	Black Door Fireplace	\$ 2,599.00
	OPTIONS			
    	H7303	CSK	Cast Surround Kit	\$ 1,099.00
	H7757	CSK-DK	Cast Surround Decorative Keystone	\$ 82.00
	UZIAD	UZIAD	Outside Air Coupler for Connection of UZI to Fireplace	\$ 42.00
	UZI	UZI	Outside Air Kit (4" I.D. x 10 ft. long insulated flex)	\$ 79.00
	BNZN	BNZN	Rigid Firescreen	\$ 277.00
	Forced Air Heating Kit			
5" installed on the side of the fireplace. Use of the forced air kit is not included in EPA certification.				
BISFWK-1	BISFWK-1	Starter Kit: for Wall or furnace installations. Includes blower (BISZY); flex adaptor and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)		\$ 569.00
5FLEX15	5FLEX15	Flex 5" I.D. X 15' long		\$ 169.00
5FLEX25	5FLEX25	Flex 5" I.D. X 25' long		\$ 279.00
HCTW	HCTW	Heating/Cooling thermostat - 120 volt		\$ 269.00
Gravity Venting Kit				
H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)		\$ 749.00
Extra Gravity Kit Components				
H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.		\$ 99.00
H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.		\$ 79.00
H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")		\$ 199.00
H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" - 5")		\$ 69.00
H8954	8KL2	Length 2ft.		\$ 59.00
H8953	8KL1	Length 1ft.		\$ 45.00
H8952	7B26ZR	Radiation Shield, 8" I.D.		\$ 39.00

IHP reserves the right to make changes at any time, without notice, in its products or prices. This price list has been prepared for the convenience of IHP distributors only and does not purport to represent actual prices in any market. It is our distributor's right and responsibility to establish their own resale prices.



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013




MODEL	WT.	CU/FT
BIS TradCE	3103#	30.3



EPA PHASE II WOOD-BURNING FIREPLACE FRONT OPEN, CIRCULATING

Unit includes: Decorative cast iron log retainer with BIS logo, textured refractories, choice of doors, efficient air wash system, outside air adaptor (UZIAD), outside air kit (UZI), non-catalytic combustion controlled fireplace, heat activated blower 200 cfm (UZY5), double air combustion control (all in one). EPA Certified

APPROVED FOR USE WITH 6" CHIMNEY - MODELS ASHT+ / HT6103+, S-2100+ / HT6000+ OR AC MANUFACTURED BY SECURITY CHIMNEYS INTERNATIONAL

	Catalog #	Model	Description	List Price
	BISTRADCE	BISTRADCE	BIS Tradition CE Fireplace	\$ 2,999.00
REQUIRED ACCESSORIES				
Facades				
	BTCEFBK	BTCEFBK	Black	\$ 400.00
	BTCEPMC	BTCEPMC	Hammered Steel	\$ 1,300.00
Steel Doors				
	BTCECBK	BTCECBK	Steel, Black	\$ 800.00
	BTCEPMC	BTCEPMC	Steel, Hammered Steel	\$ 1,300.00
Cast Iron Doors				
	BTCECBKC	BTCECBKC	Cast Iron, Black	\$ 779.00
Forced Air Heating Kit				
5" installed on the side of the fireplace. Use of the forced air kit is not included in EPA certification.				
	BISFWK-1	BISFWK-1	Starter Kit: for Wall or furnace installations. Includes blower (BISZY); flex adaptor and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)	\$ 569.00
	5FLEX15	5FLEX15	Flex 5" I.D. X 15' long	\$ 169.00
	5FLEX25	5FLEX25	Flex 5" I.D. X 25' long	\$ 279.00
	HCTW	HCTW	Heating/Cooling thermostat - 120 volt	\$ 269.00
Gravity Venting Kit				
	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)	\$ 749.00
Extra Gravity Kit Components				
	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.	\$ 99.00
	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.	\$ 79.00
	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")	\$ 199.00
	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" - 5")	\$ 69.00
	H8954	8KL2	Length 2ft.	\$ 59.00
	H8953	8KL1	Length 1ft.	\$ 45.00
	H8952	7B26ZR	Radiation Shield, 8" I.D.	\$ 39.00

IHP reserves the right to make changes at any time, without notice, in its products or prices. This price list has been prepared for the convenience of IHP distributors only and does not purport to represent actual prices in any market. It is our distributor's right and responsibility to establish their own resale prices.



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013





MODEL	WT.	CU/FT
BIS Trad	4575#	50.8



EPA PHASE II WOOD-BURNING FIREPLACE FRONT OPEN

Unit includes: Textured refractories, cast iron log retainers, time delayed air boost system for carefree ignition, air wash system for doors, outside air kit (UZI), outside air coupler (UZIAD) and 350 cfm blower (PR-UZY7). EPA Certified

APPROVED FOR USE WITH 7" CHIMNEY - MODELS ASHT+ / HT6103+, S-2100+ / HT6000+ OR AC MANUFACTURED BY SECURITY CHIMNEYS INTERNATIONAL

	Catalog #	Model	Description	List Price
	BISTRAD	BISTRAD	BIS® Tradition Fireplace	\$ 4,999.00
	REQUIRED ACCESSORIES			
Facades				
	BTFBK	BTFBK	Black	\$ 500.00
	BTFMC	BTFMC	Hammered Steel	\$ 1,350.00
Doors				
	BTCBK	BTCBK	Black	\$ 900.00
	BTCMC	BTCMC	Hammered Steel	\$ 1,350.00
INCLUDED ACCESSORIES				
	PR-UZY7	PR-UZY7	Heat Activated On/Off Pre-wired Fan Kit 200 cfm 115V/60H/39W	\$ 426.00
	UZIAD	UZIAD	Outside Air Coupler for Connection of UZI to Fireplace	\$ 42.00
	UZI	UZI	Outside Air Kit (4" I.D. x 10 ft. long insulated flex)	\$ 79.00
OPTIONS				
	BTZN	BTZN	Rigid Firescreen	\$ 399.00
	BISTMA30	BISTMA30	Adapter for 30-degree Connection into a Masonry Chimney	\$ 59.50
Forced Air Heating Kit				
5" installed on the side of the fireplace. Use of the forced air kit is not included in EPA certification.				
	BISFWK-1	BISFWK-1	Starter Kit: for Wall or furnace installations. Includes blower (BISZY); flex adaptor and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)	\$ 569.00
	5FLEX15	5FLEX15	Flex 5" I.D. X 15' long	\$ 169.00
	5FLEX25	5FLEX25	Flex 5" I.D. X 25' long	\$ 279.00
	HCTW	HCTW	Heating/Cooling thermostat - 120 volt	\$ 269.00



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013

BIS® TRAD

	<u>Catalog #</u>	<u>Model</u>	<u>Description</u>	<u>List Price</u>
	Gravity Venting Kit			
	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)	\$ 749.00
	Extra Gravity Kit Components			
	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.	\$ 99.00
	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.	\$ 79.00
	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")	\$ 199.00
	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" - 5")	\$ 69.00
	H8954	8KL2	Length 2ft.	\$ 59.00
	H8953	8KL1	Length 1ft.	\$ 45.00
	H8952	7B26ZR	Radiation Shield, 8" I.D.	\$ 39.00

IHP reserves the right to make changes at any time, without notice, in its products or prices. This price list has been prepared for the convenience of IHP distributors only and does not purport to represent actual prices in any market. It is our distributor's right and responsibility to establish their own resale prices.



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013






MODEL	WT.	CU/FT
BISPAN	3 403#	35.47



EPA PHASE II WOOD-BURNING FIREPLACE FRONT OPEN, CIRCULATING

Unit includes: Herringbone refractories, dual handle ash drawer with lid, decorative cast iron log retainers, outside air coupler (UZIAD), outside air kit (UZI), efficient catalytic combustion, zero-clearance to

APPROVED FOR USE WITH 7" CHIMNEY - MODELS ASHT+ / HT6103+, S-2100+ / HT6000+ OR AC MANUFACTURED BY SECURITY CHIMNEYS INTERNATIONAL

	Catalog #	Model	Description	List Price
	BISPAN	BISPAN	BIS Panorama Fireplace	\$ 3,499.00
	REQUIRED ACCESSORIES			
Doors				
	BPVBK	BPVBK	Black Door	\$ 1,100.00
	Louvers			
	DEL SOL	DEL SOL	Del Sol Louver Kit	\$ 200.00
	DIAMANTE	DIAMANTE	Diamante Louver Kit	\$ 200.00
	STRADA	STRADA	Strada Louver Kit	\$ 200.00
OPTIONS				
	BPCF	BPCF	Panel for Clean Face Option (tiling flange)	\$ 99.00
	BPZN	BPZN	Rigid Firescreen	\$ 399.00
	BISPMA30	BISPMA30	Adapter for 30-degree Connection into a Masonry Chimney	\$ 54.50
	UZY5	UZY5	Heat Activated On/Off Pre-wired Fan Kit 200 cfm 115V/60H/39W	\$ 300.00
Forced Air Heating Kit				
5" installed on the side of the fireplace. Use of the forced air kit is not included in EPA certification.				
	BISFWK-1	BISFWK-1	Starter Kit: for Wall or furnace installations. Includes blower (BISZY); flex adaptor and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)	\$ 569.00
	5FLEX15	5FLEX15	Flex 5" I.D. X 15' long	\$ 169.00
	5FLEX25	5FLEX25	Flex 5" I.D. X 25' long	\$ 279.00
	HCTW	HCTW	Heating/Cooling thermostat - 120 volt	\$ 269.00



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013

BIS® PANORAMA

	<u>Catalog #</u>	<u>Model</u>	<u>Description</u>	<u>List Price</u>
	Gravity Venting Kit			
	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)	\$ 749.00
	Extra Gravity Kit Components			
	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.	\$ 99.00
	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.	\$ 79.00
	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")	\$ 199.00
	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" - 5")	\$ 69.00
	H8954	8KL2	Length 2ft.	\$ 59.00
	H8953	8KL1	Length 1ft.	\$ 45.00
	H8952	7B26ZR	Radiation Shield, 8" I.D.	\$ 39.00

IHP reserves the right to make changes at any time, without notice, in its products or prices. This price list has been prepared for the convenience of IHP distributors only and does not purport to represent actual prices in any market. It is our distributor's right and responsibility to establish their own resale prices.



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013






MODEL	WT.	CU/FT
BIS Ultima	285LBS	18.75

EPA PHASE II WOOD-BURNING FIREPLACE FRONT OPEN, CIRCULATING

Unit includes: Decorative framed top and bottom louvers, decorative cast log retainers, efficient air wash system, insulated firebox top and on the sides, double air control combustion (all in one), zero-clearance to combustible materials and outside air kit (UZI), and outside air coupler (UZIAD). EPA Certified

APPROVED FOR USE WITH 6" CHIMNEY - MODELS ASHT+ / HT6103+, S-2100+ / HT6000+ OR AC MANUFACTURED BY SECURITY CHIMNEYS INTERNATIONAL

	Catalog #	Model	Description	List Price
				
	BISULTIMA-1	BISULTIMA-1	BIS Ultima-1 Fireplace	\$ 2,499.00
REQUIRED ACCESSORIES				
	Doors			
	BUVBK	BUVBK	Victorian Arch Shape Doors, Black	\$ 800.00
	BUCBK	BUCBK	Contemporary Arch Shape Door, Black	\$ 800.00
OPTIONS				
	UZY5	UZY5	Heat Activated On/Off Pre-wired Fan Kit 200 cfm 115V/60H/39W	\$ 300.00
	BUCEBWZN	BUCEBWZN	Rigid Firescreen	\$ 272.00
	BUCF	BUCF	Panel for Clean Face Option (tiling flange)	\$ 82.00
Forced Air Heating Kit				
5" installed on the side of the fireplace. Use of the forced air kit is not included in EPA certification.				
	BISFWK-1	BISFWK-1	Starter Kit: for Wall or furnace installations. Includes blower (BISZY); flex adaptor and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)	\$ 569.00
	5FLEX15	5FLEX15	Flex 5" I.D. X 15' long	\$ 169.00
	5FLEX25	5FLEX25	Flex 5" I.D. X 25' long	\$ 279.00
	HCTW	HCTW	Heating/Cooling thermostat - 120 volt	\$ 269.00
Gravity Venting Kit				
	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)	\$ 749.00
Extra Gravity Kit Components				
	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.	\$ 99.00
	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.	\$ 79.00
	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")	\$ 199.00
	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" - 5")	\$ 69.00
	H8954	8KL2	Length 2ft.	\$ 59.00
	H8953	8KL1	Length 1ft.	\$ 45.00
	H8952	7B26ZR	Radiation Shield, 8" I.D.	\$ 39.00

IHP reserves the right to make changes at any time, without notice, in its products or prices. This price list has been prepared for the convenience of IHP distributors only and does not purport to represent actual prices in any market. It is our distributor's right and responsibility to establish their own resale prices.



NORTH AMERICAN SUGGESTED LIST PRICES

Effective: April 15, 2013




MODEL	WT.	CU/FT
BIS Ultima CF	300LBS	18.75



EPA PHASE II WOOD-BURNING FIREPLACE FRONT OPEN, CLEAN-FACED

Unit includes: black steel door with ceramic glass, air wash system for the door, decorative log retainers, smooth refractories, pre-wired blower (175CFM) double air combustion control, outside air kit (UZI), and outside air coupler (UZIAD). EPA Certified.

APPROVED FOR USE WITH 6" CHIMNEY - MODELS ASHT+ / HT6103+, S-2100+ / HT6000+ OR AC MANUFACTURED BY SECURITY CHIMNEYS INTERNATIONAL

	Catalog #	Model	Description	List Price
	BISULTIMACF	BISULTIMACF	BIS® Ultima- Clean Face, Black doors	\$ 3,199.00
REQUIRED ACCESSORIES (CHOOSE KIT)				
	LOUVRECF	LOUVRECF	Louver kit	\$ 150.00
	CAPPINGCF	CAPPINGCF	Clean face kit (Note : Requires gravity vent Kit installation)	\$ 100.00
	BUCFZN	BUCFZN	Rigid Firescreen	\$ 264.00
Forced Air Heating Kit				
5" installed on the side of the fireplace. Use of the forced air kit is not included in EPA certification.				
	BISFWK-1	BISFWK-1	Starter Kit: for Wall or furnace installations. Includes blower (BISZY); flex adaptor and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adapter (BISAVF) and back draft damper (BISBD)	\$ 569.00
	5FLEX15	5FLEX15	Flex 5" I.D. X 15' long	\$ 169.00
	5FLEX25	5FLEX25	Flex 5" I.D. X 25' long	\$ 279.00
	HCTW	HCTW	Heating/Cooling thermostat - 120 volt	\$ 269.00
Gravity Venting Kit				
	H8947	7B30ZK-1	Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adapters (2)	\$ 749.00
Extra Gravity Kit Components				
	H8948	7B26ZE90	Elbow 90-Degree, 8" I.D.	\$ 99.00
	H8949	7B26ZE45	Elbow 45-Degree, 8" I.D.	\$ 79.00
	H8950	7B26ZLA	Telescopic Length, 8" I.D. (15" to 26")	\$ 199.00
	H8951	7B26ZL2A	Adjustable Length, 8" I.D. (2" - 5")	\$ 69.00
	H8954	8KL2	Length 2ft.	\$ 59.00
	H8953	8KL1	Length 1ft.	\$ 45.00
	H8952	7B26ZR	Radiation Shield, 8" I.D.	\$ 39.00

IHP reserves the right to make changes at any time, without notice, in its products or prices. This price list has been prepared for the convenience of IHP distributors only and does not purport to represent actual prices in any market. It is our distributor's right and responsibility to establish their own resale prices.