



astria
FIREPLACES™

TRULY TIMELESS

Vented and Vent-Free
Gas Logs

SHOW YOURSELF IN

Create a room that begs you to stick
around, *sit down and relax.*



VENTED GAS LOGS

*FEATURED Cascade Vented Log Set and
Georgian Fireplace with Ivory Herringbone brick*





VENTED GAS LOGS

Avalon Log Set



Featured with Georgian Masonry Fireplace

There's nothing like the warm glow of a fire on a cold evening. The Astria line of Vented Gas Logs brings that comfort and warmth into the home. Large flames and detailed logs offer efficient heating performance and the convenience of a remote controlled gas appliance. Our patented technology is a clear departure from any other vented gas log produced over the past 50 years. Astria's log stacks are integrated into the burner as a single unitized arrangement. The ceramic log produces an intense red glow, providing uncanny wood burning realism and impressive levels of radiant heat. This unique system makes installation a breeze and eliminates sooting that is experienced with other vented log sets.

UNITIZED MODELS (INCLUDES LOG SET AND BURNER)



ACADIA
18" & 24" MODELS
CERAMIC FIBER LOGS/MILLIVOLT CONTROL



BLUE RIDGE
18" & 24" MODELS
CERAMIC FIBER LOGS/MILLIVOLT CONTROL



SEQUOIA
18" & 24" MODELS
CERAMIC FIBER LOGS/MILLIVOLT CONTROL



ARCADIA
18" & 24" MODELS
CERAMIC FIBER LOGS/MILLIVOLT CONTROL



AVALON
18" & 24" MODELS
CERAMIC FIBER LOGS/ELEC. IGN. CONTROL



CASCADE
18", 24" & 30" MODELS
CERAMIC FIBER LOGS/MILLIVOLT CONTROL





START SOMETHING BEAUTIFUL

Sacrificing *style for warmth*
is a thing of the past.



VENT-FREE GAS LOGS

*FEATURED Southern Comfort Log Set with
Atlas Firebox and White Herringbone panels*

Southern Comfort Log Set



*Featured with MagniFlame burner
in a Marquee Masonry Firebox*

The **MagniFlame Series** boasts a triple burner to achieve the look of a real wood fire! The MagniFlame burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Indoor vent-free models feature two burners of bright yellow flames, plus the lower burner for the glowing ember bed. Outdoor models feature two burners of bright yellow flames, stainless steel chassis and grate, and an optional lava rock flame bed at its base. The uniqueness of this series is that the unit stands 19" tall and over 15" deep. 24" log sets are designed for 36" fireboxes, 30" log sets for 42" fireboxes and 36" log sets for the Innovative Hearth 48" boxes or larger masonry units. See page 14 for minimum firebox dimensions and further details.

The **Tri-Flame Series** brings a remarkable new technology to the field of vent-free gas logs. To duplicate the look of a real wood fire, these models include a glowing, coal bed at its base. The bright, glowing coals and flickering embers are achieved through the use of two unique technologies. The Tri-Flame burner offers the unusual feature of an additional row of flames behind the logs. The result is a distinctive appearance with a very deep flame pattern.

MAGNIFLAME SERIES



SOUTHERN COMFORT INDOOR
24", 30" & 36" MODELS
CONCRETE LOGS



SOUTHERN COMFORT INDOOR/OUTDOOR (VENTED)
(WITH OPTIONAL EMBER BURNER)
24", 30" & 36" MODELS
CONCRETE LOGS

FOR VENTED APPLICATIONS

TRI-FLAME SERIES



SCARLET OAK
18", 24" & 30" MODELS
CONCRETE LOGS



RICH OAK
18", 24" & 30" MODELS
CONCRETE LOGS



MIXED OAK
18", 24" & 30" MODELS
CERAMIC FIBER LOGS



TIMBER OAK
18", 24" & 30" MODELS
CERAMIC FIBER LOGS

Multiple control options available. Remote controls are included with select models.

Bison Mountain Log Set



The **Blaze n' Glow Series** offers you what ordinary gas logs cannot...the beauty and convenience of gas logs combined with the heating characteristics of a radiant vent-free heater. Best of all, our vent-free gas logs are clean and easy to maintain and they won't put a dent in your wallet! Burner systems are available in four applications. Now all models include loose embers. Simply combine the burner system that fits your needs with one of the three log sets. 18" models fit our Astria 32" fireboxes and larger. 24" models fit Astria 36" fireboxes and larger. 30" and 36" models fit Astria 42" fireboxes and larger.

BLAZE N' GLOW SERIES



Featured with Blaze N' Glow burner and Vega Firebox



ANDES MOUNTAIN
18", 24", 30" & 36" MODELS
CERAMIC FIBER LOGS



REDWOOD MOUNTAIN OAK
18", 24" & 30" MODELS
CONCRETE LOGS



BISON MOUNTAIN
18", 24" & 30" MODELS
CONCRETE LOGS

Multiple control options available. Remote controls are included with select models.

Northern Red Oak Log Set



Featured in a Taurus See-Through Firebox

Astria's unique, clean burning design provides 99% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Plus heating with Astria gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

In addition to vent-free safety controls and industry leading clean flame combustion technology, some of the log sets are unitized in a pre-assembled arrangement. This feature assures maximum performance and eliminates the possibility of log misplacement or movement, which could affect indoor air quality. The control and gas train are 100% factory assembled and tested. The unitized design also makes installation a breeze! Just complete the gas connection using the shut-off valve and stainless flex connector provided. Astria's Dual Burner Vent-Free Gas Log Heaters offer the choice of four types of remote control accessories as well as the ability to operate the log heater with manual control. Astria's Multi-Sided Vent-Free Gas Log Heaters feature "Remote Ready" controls, abundant yellow flames from a dual burner, plus a beautifully styled five piece multi-log design.



Montebello Log Set

UNITIZED MODELS (INCLUDES LOG SET AND BURNER)



SHERIDAN
18" & 24" MODELS
CERAMIC FIBER LOGS



MONTABELLO
18" & 24" MODELS
CERAMIC FIBER LOGS

DUAL YELLOW FLAME MODEL



CHESTNUT HILL
18" & 24" MODELS
CONCRETE LOGS

MULTI-SIDED MODEL



NORTHERN RED OAK
27" MODEL
CERAMIC FIBER LOGS

Multiple control options available. Remote controls are included with select models.

CONTEMPORARY PEBBLE BURNER

Rio Lights Burner



Featured with Rio Lights burner and Vega Firebox

Rio Lights is a beautifully sleek alternative to a traditional gas log set. The polished pan burner and elegant glass media are far from the classic hearth look. The rich yellow flames dance across the glistening clear glass pebbles for a sophisticated and chic appearance. Refining any vent-free firebox with this unique pebble burner is quick and easy. Best of all, you can give your living space a fresh start without the inconvenience or price tag that comes with home remodeling.



RIO LIGHTS
24" & 30" MODELS
BURNER & PEBBLES

Glass Media (Clear Standard, Colors Optional)



SPECKLED ORANGE



SAPPHIRE



AMBER



MINT

WHICH ASTRIA MODEL IS RIGHT FOR YOU?

*Astria offers a broad line of vented & vent-free gas logs featuring a variety of styles and sizes.
Just follow the easy steps below to choose a great looking set of Astria gas logs.*

1. Choose between Vented or Vent-Free.

Astria "Vented" Gas Logs install in any properly certified and vented masonry fireplace or manufactured firebox. "Vent-Free" Gas Logs can be installed in any certified vented fireplace or any ANSI Z21.11 certified vent-free universal firebox including the Astria Fireboxes. All burner systems with variable manual controls including remote ready are also listed to the ANSI Z21.60 Vented Log Decorative Standard which requires the GA6080 damper clamp accessory.

2. Log Set Size

Based on your fireplace measurements, choose a log set that will suit your needs using the sizing chart.

3. Controls

Astria Gas Logs are available in five control types: Manual, Thermostatic, Variable, Millivolt & Electronic Ignition. All offer easy, reliable and economical heating. Several models use a "matchless" piezo ignition system, and all other Astria Vent-Free models use an "Auto-Light" ignition, a battery-powered continuous spark system that lights the log's burner faster. models use a "matchless" piezo ignition system, and all other Astria Vent-Free models use an "Auto-Light" ignition, a battery-powered continuous spark system that lights the log's burner faster.

• Manually Controlled Models

Manual control allows you to select the heat setting and flame height you desire by simply turning a control knob to enjoy flames and glowing coals from both burners.

• Thermostatically Controlled Models

Thermostat control gradually modulates the heat output and flame height from high to lower settings, or pilot, in order to maintain a consistent room temperature. Even at the lowest setting you enjoy glowing coals and realistic flames from two burners.

• Variable Remote Controlled Models

Variable remote control offers three modes of operation: manual, thermostatic, or smart mode. In smart mode, the system electronically duplicates a hydraulic thermostatically controlled valve by increasing the input rate/flame height based on the difference in room temperature and the set temperature. These systems allow 6 flame height settings from low to high while in either the manual or thermostatic modes settings.

• Millivolt Controlled Models

Millivolt controlled models operate with the manual variable controls or your choice of four remotes.

1. The Wall Mount Off/On Switch will enable you to turn your log set from pilot to on at the flip of a switch.

2. With a Wall Mount Thermostat Switch set the wall thermostat at the comfort level you desire and the log heater will automatically cycle from pilot to the heat setting selected.

3. The On/Off Remote Control enables you to turn the log heater off or on using the hand-held control. A child safety lock feature is included for additional safety assurance.

4. The Thermostat Remote Control allows you to view the time and room temperature or operate the log heater in a manually or automatically (thermostat) controlled mode plus you can turn it off or on without ever leaving the comfort of your easy chair!

• Electronic Ignition Models

The electronic ignition valve systems offer three modes of operation: manual, thermostatic or programmable. A touch-screen remote is included. These systems allow three flame height/input settings: low, medium, or high. In manual mode, the pilot lights each time the system is set or calls for heat. This means that the pilot never burns when the main burners are off. When compared to other valve systems, the cost of fuel to continually operate the pilot is avoided and therefore saves the homeowner money by reducing their fuel usage.

4. Fireplace Hoods

A fireplace hood accessory may be required to deflect heat away from your mantel shelf. Fits fireplace openings from 28" to 48" wide. Installs easily with glass doors or to the lintel of the fireplace opening.

5. Optional Decorative Accessory Kit

A decorative accessory kit is not only functional but beautiful as well! The set includes five log pieces featuring realistic bark, split and charred areas plus a matching control cover. Simply move the cover when you need to use the control(s).

Warranty

All models include the Astria 3 year limited warranty

SAFETY FEATURES

1. Astria's Vent-Free Gas Log Heaters are designed certified by PFS Corp. and meet or exceed all regulations and safety performance standards.
2. The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. This feature ensures clean and reliable heat without the worry and inconvenience of vented gas logs or burning wood.
3. Astria Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.

IMPORTANT - PLEASE READ

Read Owner's Manual before using. Installation must be done by qualified service persons. Check local codes and ordinances for permitted uses. Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts. All products approved for manufactured (mobile) home installation. We reserve the right to amend product specifications without notice.

Operating heater at very high elevations could cause nuisance outages. Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated (Refer to owner's manual). Product cannot be converted between fuel types.

LOG ACCESSORIES



LOG ACCESSORY EXAMPLE



LOG ACCESSORY EXAMPLE



LOG ACCESSORY EXAMPLE



LOG ACCESSORY EXAMPLE



LOG ACCESSORY EXAMPLE

LOG SIZES & MINIMUM FIREBOX DIMENSIONS

| BURNER SYSTEMS & LOGS | | MINIMUM FIREBOX DIMENSIONS | | | | |
|-----------------------|---------------------|----------------------------|--------|--------|-------------|------------|
| BURNER SYSTEM | MODEL | LOG LENGTH | HEIGHT | DEPTH | FRONT WIDTH | REAR WIDTH |
| Acadia18 | Acadia18 | 18" | 16" | 14" | 30" | 20" |
| Acadia24 | Acadia24 | 24" | 18" | 18" | 34" | 24" |
| BlueRidge18 | BlueRidge18 | 18" | 16" | 14" | 30" | 20" |
| BlueRidge24 | BlueRidge24 | 24" | 18" | 18" | 34" | 24" |
| Sequoia18 | Sequoia18 | 18" | 16" | 14" | 30" | 20" |
| Sequoia24 | Sequoia24 | 24" | 18" | 18" | 34" | 24" |
| Arcadia18 | Arcadia18 | 18" | 18" | 16" | 28" | 28" |
| Arcadia24 | Arcadia24 | 24" | 18" | 16" | 29.75" | 29.75" |
| Avalon18 | Avalon18 | 18" | 18" | 18" | 34" | 24" |
| Avalon24 | Avalon24 | 24" | 18" | 18" | 34" | 24" |
| Cascade18 | Cascade18 | 18" | 18" | 18" | 34" | 24" |
| Cascade24 | Cascade24 | 24" | 18" | 18" | 34" | 24" |
| Cascade30 | Cascade30 | 30" | 18" | 18" | 34" | 24" |
| MagniFlame24 | SouthernComfort24 | 24" | *28" | *15.5" | 32.5" | 22.75" |
| MagniFlame24 | SouthernComfort30 | 30" | *28" | *15.5" | 39" | 26.75" |
| MagniFlame30 | SouthernComfort36 | 36" | 28" | 20" | 47" | 33" |
| MagniFlameOD24 | SouthernComfortOD24 | 24" | *28" | *15.5" | 39" | 26.75" |
| MagniFlameOD24 | SouthernComfortOD30 | 30" | 28" | 20" | 47" | 33" |
| MagniFlameOD30 | SouthernComfortOD36 | 36" | *28" | *15.5" | 39" | 26.75" |
| TriFlame18 | ScarletOak18 | 18" | 19" | 14" | 28" | 20" |
| TriFlame24 | ScarletOak24 | 24" | 19" | 14" | 32" | 22" |
| TriFlame24 | ScarletOak30 | 30" | 19" | 14" | 40" | 30" |
| TriFlame18 | RichOak18 | 18" | 19" | 14" | 28" | 20" |
| TriFlame24 | RichOak24 | 24" | 19" | 14" | 32" | 22" |
| TriFlame24 | RichOak30 | 30" | 19" | 14" | 40" | 30" |
| TriFlame18 | MixedOak18 | 18" | 19" | 14" | 28" | 20" |
| TriFlame24 | MixedOak24 | 24" | 19" | 14" | 32" | 22" |
| TriFlame24 | MixedOak30 | 30" | 19" | 14" | 40" | 30" |
| TriFlame18 | TimberOak18 | 18" | 19" | 14" | 28" | 20" |
| TriFlame24 | TimberOak24 | 24" | 19" | 14" | 32" | 22" |
| TriFlame24 | TimberOak30 | 30" | 19" | 14" | 40" | 30" |
| Blaze&Glow18 | AndesMtn18 | 18" | 17" | 13.5" | 20" | 14" |
| Blaze&Glow24 | AndesMtn24 | 24" | 17" | 13.5" | 26" | 18" |
| Blaze&Glow24 | AndesMtn30 | 30" | 21" | 13.5" | 32" | 22" |
| Blaze&Glow24 | AndesMtn36 | 36" | 21" | 13.5" | 38" | 27.5" |
| Blaze&Glow18 | RedWoodM18 | 18" | 17" | 13.5" | 20" | 14" |
| Blaze&Glow24 | RedWoodM24 | 24" | 17" | 13.5" | 26" | 18" |
| Blaze&Glow24 | RedWoodM30 | 30" | 21" | 13.5" | 32" | 22" |
| Blaze&Glow18 | BisonMtn18 | 18" | 17" | 14.5" | 26" | 20" |
| Blaze&Glow24 | BisonMtn24 | 24" | 17" | 14.5" | 29" | 22" |
| Blaze&Glow24 | BisonMtn30 | 30" | 21" | 14.5" | 32" | 22" |
| Sheridan18 | Sheridan18 | 18" | 17" | 13.5" | 24" | 20.5" |
| Sheridan24 | Sheridan24 | 24" | 17" | 13.5" | 28" | 20.5" |
| Montebello18 | Montebello18 | 18" | 17" | 13" | 24" | 20" |
| Montebello24 | Montebello24 | 24" | 17" | 13" | 24" | 20" |
| EOS18 | ChestnutH18 | 18" | 17" | 13.5" | 24" | 20.5" |
| EOS18 | ChestnutH24 | 24" | 17" | 13.5" | 28" | 20.5" |
| NorthernOak27 | NorthernOak27 | 27" | 17" | 19" | 32" | 32" |
| RioLights24 | RioLights24 | 18" | 17" | 13.5" | 24" | 20.5" |
| RioLights30 | RioLights30 | 24" | 17" | 13.5" | 28" | 20.5" |

**Installation in certain Astria produced fireplaces with smaller dimensions has been approved*

| VENTED GAS LOGS: PERFORMANCE & HEATING EFFICIENCY | | | | | | | | | | | | |
|---|----------------------------|---------------|-----------------|---------|-----------|----------|------------|---------|-----------------|-----------|---------------------|---------|
| BURNER SYSTEMS & LOGS | | | | | | CONTROLS | | | | | | |
| BURNER SYSTEM | | LOG LENGTH | CONTROLS & BTUs | | | | | | | | | |
| | | | MANUAL | | MILLIVOLT | | THERMOSTAT | | VARIABLE REMOTE | | ELECTRONIC IGNITION | |
| | | | NG | LP | NG | LP | NG | LP | NG | LP | NG | LP |
| Acadia18MN/MP | | 18" | | | 41K-56K | 42K-51K | | | | | | |
| Acadia24MN/MP | | 24" | | | 45K-67K | 43K-65K | | | | | | |
| BlueRidge18MN/MP | | 18" | | | 41K-56K | 42K-51K | | | | | | |
| BlueRidge24MN/MP | | 24" | | | 45K-67K | 43K-65K | | | | | | |
| Sequoia18MN/MP | | 18" | | | 41K-56K | 42K-51K | | | | | | |
| Sequoia24MN/MP | | 24" | | | 45K-67K | 43K-65K | | | | | | |
| Arcadia18MN/MP | | 18" | | | 37K-54K | 37K-54K | | | | | | |
| Arcadia24MN/MP | | 24" | | | 39K-58K | 39K-58K | | | | | | |
| Avalon18EN/EP | | 18" | | | | | | | | | 38K-58K | 46K-58K |
| Avalon24EN/EP | | 24" | | | | | | | | | 45K-68K | 54K-68K |
| Cascade18 | | 18" | 59K | 59K | 59K | 59K | | | | | | |
| Cascade24 | | 24" | 69K | 69K | 69K | 69K | | | | | | |
| Cascade30 | | 30" | 74K | 74K | 74K | 74K | | | | | | |
| MagniFlame(all) | | 24", 30", 36" | 29K-40K | | | | | | | | | |
| TriFlame18 NR/PR/NV/PV/NE/PE | | 18" | | | 21K-30K | 24K-30K | | | 21K-30K | 24K-30K | 24K-30K | 24K-30K |
| TriFlame24/30 NR/PR/NV/PV/NE/PE | | 24", 30" | | | 28K-39K | 28K-39K | | | 28K-39K | 28K-39K | 28K-39K | 28K-39K |
| BURNER SYSTEM | | LOG LENGTH | CONTROLS & BTUs | | | | | | | | | |
| | BURNER TYPE | | MANUAL | | MILLIVOLT | | THERMOSTAT | | VARIABLE REMOTE | | ELECTRONIC IGNITION | |
| | | | NG | LP | NG | LP | NG | LP | NG | LP | NG | LP |
| Blaze&Glow18 NM/PM/NR/ PR/NT/PT/NV/PV | Radiant | 18" | 22K-29K | 19K-26K | 19K-28K | 19K-30K | 19K-28K | 19K-30K | 19K-28K | 19K-28K | | |
| Blaze&Glow18E NM/PM/NR/ PR/NT/PT/NV/PV | Radiant w/ Loose Embers | 18" | 26K-31K | 23K-28K | 19K-28K | 21K-28K | 23K-30K | 23K-32K | 19K-28K | 21K-28K | 21K-30K | 24K-30K |
| Blaze&Glow24/30/36 NM/PM/NR/ PR/NT/PT/NV/PV | Radiant | 24", 30", 36" | 24K-35K | 24K-35K | 25K-36K | 25K-36K | 25K-36K | 25K-36K | 21.5K-33K | 21.5K-33K | | |
| Blaze&GlowE 24/30/36 NM/PM/NR/ PR/NT/PT/NV/PV | Radiant w/ Loose Embers | 24", 30", 36" | 28K-37K | 28K-37K | 25K-39K | 27K-39K | 29K-38K | 29K-38K | 25K-39K | 27K-39K | 36K-39K | 30K-39K |
| Sheridan18NM/PM | | 18" | 30K | 30K | | | | | | | | |
| Sheridan24NM/PM | | 24" | 39K | 39K | | | | | | | | |
| Montebello18NE/PE | | 18" | | | | | | | | | 36K | 36K |
| Montebello24NE/PE | | 24" | | | | | | | | | 39K | 39K |
| EOS18MN/MP | | 18" or 24" | ? | ? | | | | | | | | |
| NorthernOak27 | | 27" | | | ? | ? | | | | | | |
| RioLights24MN/MP | | 24" | ? | ? | | | | | | | | |
| RioLights30MN/MP | | 30" | ? | ? | | | | | | | | |



Let your style shine.

